

## 仕様変更のご案内

### GT3 シリーズ オールマルチタイマ GT5P 形/GT5Y 形 小形タイマ

GT3 シリーズオールマルチタイマおよび GT5P 形/GT5Y 形小形タイマの仕様変更についてご案内いたします。

#### ■ 実施時期

2023年12月出荷分より順次実施

※実施時期前であっても、受注状況に応じて変更品を出荷させていただく場合があります。

※ご購入時期、数量により変更前後の製品が混在する場合があります。



#### ■ 対象製品

GT3 シリーズオールマルチタイマ：全機種

GT5P 形小形タイマ：全機種

GT5Y 形小形タイマ：全機種

※標準品を基本とするカスタム仕様製品も含まれます。

#### ■ 変更内容

<GT3 シリーズオールマルチタイマ>

変更内容	変更前	変更後
印字方法	シルク印刷	レーザーマーキング
印字面	上面	上面、下面
取扱説明書	製品同梱	製品同梱なし(QRコードからダウンロード可能)
印字内容	—	赤枠内容追加(規格表記内容の変更とQRコードの追加)
	<p style="text-align: center;"><b>上 面</b></p> <p style="text-align: center;">TYPE: GT3S-1AF20 CONTACT RATING: 5A (RES.) 250VAC/30VDC POWER: 100-240VAC (50/60Hz) IDEC CORPORATION MANUFACTURED IN TAIWAN</p>	<p style="text-align: center;"><b>上 面</b>                      <b>下 面</b></p> <p style="text-align: center;">TYPE: GT3S-1AF20 CONTACT RATING: 5A (RES.) 250VAC/30VDC POWER: 100-240VAC (50/60Hz) IDEC CORPORATION MANUFACTURED IN TAIWAN</p> <p>UL Listed when used in combination with IDEC's SR2P-06 * type socket. (*may be followed by suffix letter A, B, C or U) - Conductor Temperature Rating 60°C. - Use No.14AWG to No.18AWG, Copper conductors only. - Terminal Torque 1.0 to 1.3 N·m. Use in Pollution Degree 2 environment.</p> <p>SEE INSTRUCTION SHEET FOR TIME RANGE.</p>

< GT5P 形小形タイマ >

変更内容	変更前	変更後
取扱説明書	製品同梱	製品同梱なし(QRコードからダウンロード可能)
印字内容	—	QRコードの追加

Label content before change: IDEC ELECTRONIC TIMER, SEE INSTRUCTION SHEET FOR TIME RANGE, I. Gr. B, CE, UKCA, TYPE: GT5P-P10MA200, CONTACT RATING: 3A (RES.) 240VAC, 5A (RES.) 120VAC/30VDC, CAUTION: Do not apply voltage to terminals #3 and #4., Terminal diagram, POWER: 200-240VAC (50/60Hz), MADE IN TAIWAN, \*\*\*\*\*

Label content after change: Same as before, but with a QR code and text: Use in Pollution Degree 2, MANUFACTURED IN TAIWAN, \*\*\*\*\*

< GT5Y 形小形タイマ >

変更内容	変更前	変更後
印字内容	—	QRコードの追加

Label content before change: POWER, MODE: T T T T, A, B, C, D, Terminal diagram, UL CERTIFIED SAFETY-US CR E55996, IND.CONT.EQ. With IDEC's socket type SY4S-05\*, SU4S-11L, SM2S-05\*, SU2S-11L, (\* -May suffix A, B, C, DF, DN or U), MADE IN TAIWAN

Label content after change: Same as before, but with a QR code and text: Use in Pollution Degree 2, MANUFACTURED IN TAIWAN, \*\*\*\*\*

※その他の仕様、形番および価格の変更はありません。

### ■ 変更理由

生産性向上および製品出荷時に添付している取扱い説明書の廃止による環境負荷低減のため

### ■ 識別表示

変更後の製品は、個装ケースおよび本体のロット番号の末尾に「●」を表示いたします。

- 表示期間：2024年6月生産分まで
- 識別例：

<個装ケース>



<製品>

