



# NRKH.E222927 - Proximity Switches

## Proximity Switches

See General Information for Proximity Switches

### IDEC CORP

6-64 NISHIMIYAHARA 2-CHOME  
YODOGAWA-KU, OSAKA 532-0004 JAPAN

E222927

### Investigated to ANSI/UL 60947-1, ANSI/UL 60947-5-2

**Industrial control laser proximity sensors** Model(s) SA1F-12A, SA1F-12AC, SA1F-12IC, SA1F-12V, SA1F-12VC, SA1F-24A, SA1F-24AC, SA1F-24IC, SA1F-24V, SA1F-24VC

### Investigated to ANSI/UL 508

**Industrial control laser proximity sensors** Model(s) SA1Q-110A, SA1Q-110I, SA1Q-110N, SA1Q-110P, SA1Q-110V, SA1Q-310A, SA1Q-310I, SA1Q-310N, SA1Q-310P, SA1Q-310V, SA1Q-610I

**Primary switches** Model(s) SA1E followed by T, TA, P, D, N, B or G, followed by N or P, followed by 1 or 2, may be followed by C, C2 or C3, may be followed by P or R, followed by blank or NA, may be followed by any number -0 through -10, may be followed by M, may be followed by any combination of seven additional letters or numbers.

SA1E-L followed by T, P or B, followed by N or P, followed by 3, may be followed by -0 through -10 or C or C3, may be followed by M, may be followed by any combination of seven additional letters or numbers.

SA1E-X, followed by N or P, followed by 1 or 2, may be followed by -0 through -10 or C, may be followed by M, may be followed by any combination of seven additional letters or numbers.

SA1U, followed by -T50M, -P07M, -D01M, or -B02M, may be followed by W, may be followed by T, may be followed by P or R, may be followed by -MKXXXX.

**Radar Proximity switches** Model(s) SA1T-24B, SA1T-24BC, SA1T-4B, SA1T-4BC

NOTE - The devices are marked with electrical ratings. At least one rating is marked on the product and additional ratings may be marked on an instruction sheet shipped with the device.

Last Updated on 2018-04-27

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"