


• 製品サイズ



ご注文形番	最大接続電線 サイズ	極数	レール全長 (L1)	取付ピッチ (L2)	端子台長 (L3)
S3TL-S2C2.5X3P	2.5	3	75	50	17.4
S3TL-S2C2.5X4P	2.5	4	75	50	22.5
S3TL-S2C2.5X5P	2.5	5	87.5	62.5	27.6
S3TL-S2C2.5X6P	2.5	6	87.5	62.5	32.7
S3TL-S2C2.5X7P	2.5	7	87.5	62.5	37.8
S3TL-S2C2.5X8P	2.5	8	100	75	42.9
S3TL-S2C2.5X9P	2.5	9	100	75	48
S3TL-S2C2.5X10P	2.5	10	112.5	87.5	53.1
S3TL-S2C2.5X11P	2.5	11	112.5	87.5	58.2
S3TL-S2C2.5X12P	2.5	12	125	100	63.3
S3TL-S2C2.5X13P	2.5	13	125	100	68.4
S3TL-S2C2.5X14P	2.5	14	125	100	73.5
S3TL-S2C2.5X15P	2.5	15	137.5	112.5	78.6
S3TL-S2C2.5X16P	2.5	16	137.5	112.5	83.7
S3TL-S2C2.5X17P	2.5	17	150	125	88.8
S3TL-S2C2.5X18P	2.5	18	150	125	93.9
S3TL-S2C2.5X19P	2.5	19	150	125	99
S3TL-S2C2.5X20P	2.5	20	162.5	137.5	104.1
S3TL-S2C2.5X21P	2.5	21	162.5	137.5	109.2
S3TL-S2C2.5X22P	2.5	22	175	150	114.3
S3TL-S2C2.5X23P	2.5	23	175	150	119.4
S3TL-S2C2.5X24P	2.5	24	175	150	124.5
S3TL-S2C2.5X25P	2.5	25	187.5	162.5	129.6
S3TL-S2C2.5X26P	2.5	26	187.5	162.5	134.7
S3TL-S2C2.5X27P	2.5	27	200	175	139.8
S3TL-S2C2.5X28P	2.5	28	200	175	144.9
S3TL-S2C2.5X29P	2.5	29	200	175	150
S3TL-S2C2.5X30P	2.5	30	212.5	187.5	155.1
S3TL-S2C2.5X31P	2.5	31	212.5	187.5	160.2

ご注文形番	最大接続電線 サイズ	極数	レール全長 (L1)	取付ピッチ (L2)	端子台長 (L3)
S3TL-S2C2.5X32P	2.5	32	225	200	165.3
S3TL-S2C2.5X33P	2.5	33	225	200	170.4
S3TL-S2C2.5X34P	2.5	34	225	200	175.5
S3TL-S2C2.5X35P	2.5	35	237.5	212.5	180.6
S3TL-S2C2.5X36P	2.5	36	237.5	212.5	185.7
S3TL-S2C2.5X37P	2.5	37	250	225	190.8
S3TL-S2C2.5X38P	2.5	38	250	225	195.9
S3TL-S2C2.5X39P	2.5	39	262.5	237.5	201
S3TL-S2C2.5X40P	2.5	40	262.5	237.5	206.1
S3TL-S2C2.5X41P	2.5	41	262.5	237.5	211.2
S3TL-S2C2.5X42P	2.5	42	275	250	216.3
S3TL-S2C2.5X43P	2.5	43	275	250	221.4
S3TL-S2C2.5X44P	2.5	44	287.5	262.5	226.5
S3TL-S2C2.5X45P	2.5	45	287.5	262.5	231.6
S3TL-S2C2.5X46P	2.5	46	287.5	262.5	236.7
S3TL-S2C2.5X47P	2.5	47	300	275	241.8
S3TL-S2C2.5X48P	2.5	48	300	275	246.9
S3TL-S2C2.5X49P	2.5	49	312.5	287.5	252
S3TL-S2C2.5X50P	2.5	50	312.5	287.5	257.1
S3TL-S2C2.5X51P	2.5	51	312.5	287.5	262.2
S3TL-S2C2.5X52P	2.5	52	325	300	267.3
S3TL-S2C2.5X53P	2.5	53	325	300	272.4
S3TL-S2C2.5X54P	2.5	54	337.5	312.5	277.5
S3TL-S2C2.5X55P	2.5	55	337.5	312.5	282.6
S3TL-S2C2.5X56P	2.5	56	337.5	312.5	287.7
S3TL-S2C2.5X57P	2.5	57	350	325	292.8
S3TL-S2C2.5X58P	2.5	58	350	325	297.9
S3TL-S2C2.5X59P	2.5	59	362.5	337.5	303
S3TL-S2C2.5X60P	2.5	60	362.5	337.5	308.1
S3TL-S2C2.5X61P	2.5	61	375	350	313.2
S3TL-S2C2.5X62P	2.5	62	375	350	318.3
S3TL-S2C2.5X63P	2.5	63	375	350	323.4
S3TL-S2C2.5X64P	2.5	64	387.5	362.5	328.5
S3TL-S2C2.5X65P	2.5	65	387.5	362.5	333.6
S3TL-S2C2.5X66P	2.5	66	400	375	338.7
S3TL-S2C2.5X67P	2.5	67	400	375	343.8
S3TL-S2C2.5X68P	2.5	68	400	375	348.9
S3TL-S2C2.5X69P	2.5	69	412.5	387.5	354
S3TL-S2C2.5X70P	2.5	70	412.5	387.5	359.1
S3TL-S2C2.5X71P	2.5	71	425	400	364.2
S3TL-S2C2.5X72P	2.5	72	425	400	369.3
S3TL-S2C2.5X73P	2.5	73	425	400	374.4
S3TL-S2C2.5X74P	2.5	74	437.5	412.5	379.5
S3TL-S2C2.5X75P	2.5	75	437.5	412.5	384.6
S3TL-S2C2.5X76P	2.5	76	450	425	389.7
S3TL-S2C2.5X77P	2.5	77	450	425	394.8

ご注文形番	最大接続電線 サイズ	極数	レール全長 (L1)	取付ピッチ (L2)	端子台長 (L3)
S3TL-S2C2.5X78P	2.5	78	450	425	399.9
S3TL-S2C2.5X79P	2.5	79	462.5	437.5	405
S3TL-S2C2.5X80P	2.5	80	462.5	437.5	410.1
S3TL-S2C2.5X81P	2.5	81	475	450	415.2
S3TL-S2C2.5X82P	2.5	82	475	450	420.3
S3TL-S2C2.5X83P	2.5	83	475	450	425.4
S3TL-S2C2.5X84P	2.5	84	487.5	462.5	430.5
S3TL-S2C2.5X85P	2.5	85	487.5	462.5	435.6
S3TL-S2C2.5X86P	2.5	86	500	475	440.7
S3TL-S2C2.5X87P	2.5	87	500	475	445.8
S3TL-S2C2.5X88P	2.5	88	512.5	487.5	450.9
S3TL-S2C2.5X89P	2.5	89	512.5	487.5	456
S3TL-S2C2.5X90P	2.5	90	512.5	487.5	461.1
S3TL-S2C2.5X91P	2.5	91	525	500	466.2
S3TL-S2C2.5X92P	2.5	92	525	500	471.3
S3TL-S2C2.5X93P	2.5	93	537.5	512.5	476.4
S3TL-S2C2.5X94P	2.5	94	537.5	512.5	481.5
S3TL-S2C2.5X95P	2.5	95	537.5	512.5	486.6
S3TL-S2C2.5X96P	2.5	96	550	525	491.7
S3TL-S2C2.5X97P	2.5	97	550	525	496.8
S3TL-S2C2.5X98P	2.5	98	562.5	537.5	501.9
S3TL-S2C2.5X99P	2.5	99	562.5	537.5	507
S3TL-S2C2.5X100P	2.5	100	562.5	537.5	512.1
S3TL-S3C2.5X3P	2.5	3	75	50	17.4
S3TL-S3C2.5X4P	2.5	4	75	50	22.5
S3TL-S3C2.5X5P	2.5	5	87.5	62.5	27.6
S3TL-S3C2.5X6P	2.5	6	87.5	62.5	32.7
S3TL-S3C2.5X7P	2.5	7	87.5	62.5	37.8
S3TL-S3C2.5X8P	2.5	8	100	75	42.9
S3TL-S3C2.5X9P	2.5	9	100	75	48
S3TL-S3C2.5X10P	2.5	10	112.5	87.5	53.1
S3TL-S3C2.5X11P	2.5	11	112.5	87.5	58.2
S3TL-S3C2.5X12P	2.5	12	125	100	63.3
S3TL-S3C2.5X13P	2.5	13	125	100	68.4
S3TL-S3C2.5X14P	2.5	14	125	100	73.5
S3TL-S3C2.5X15P	2.5	15	137.5	112.5	78.6
S3TL-S3C2.5X16P	2.5	16	137.5	112.5	83.7
S3TL-S3C2.5X17P	2.5	17	150	125	88.8
S3TL-S3C2.5X18P	2.5	18	150	125	93.9
S3TL-S3C2.5X19P	2.5	19	150	125	99
S3TL-S3C2.5X20P	2.5	20	162.5	137.5	104.1
S3TL-S3C2.5X21P	2.5	21	162.5	137.5	109.2
S3TL-S3C2.5X22P	2.5	22	175	150	114.3
S3TL-S3C2.5X23P	2.5	23	175	150	119.4
S3TL-S3C2.5X24P	2.5	24	175	150	124.5
S3TL-S3C2.5X25P	2.5	25	187.5	162.5	129.6

ご注文形番	最大接続電線 サイズ	極数	レール全長 (L1)	取付ピッチ (L2)	端子台長 (L3)
S3TL-S3C2.5X26P	2.5	26	187.5	162.5	134.7
S3TL-S3C2.5X27P	2.5	27	200	175	139.8
S3TL-S3C2.5X28P	2.5	28	200	175	144.9
S3TL-S3C2.5X29P	2.5	29	200	175	150
S3TL-S3C2.5X30P	2.5	30	212.5	187.5	155.1
S3TL-S3C2.5X31P	2.5	31	212.5	187.5	160.2
S3TL-S3C2.5X32P	2.5	32	225	200	165.3
S3TL-S3C2.5X33P	2.5	33	225	200	170.4
S3TL-S3C2.5X34P	2.5	34	225	200	175.5
S3TL-S3C2.5X35P	2.5	35	237.5	212.5	180.6
S3TL-S3C2.5X36P	2.5	36	237.5	212.5	185.7
S3TL-S3C2.5X37P	2.5	37	250	225	190.8
S3TL-S3C2.5X38P	2.5	38	250	225	195.9
S3TL-S3C2.5X39P	2.5	39	262.5	237.5	201
S3TL-S3C2.5X40P	2.5	40	262.5	237.5	206.1
S3TL-S3C2.5X41P	2.5	41	262.5	237.5	211.2
S3TL-S3C2.5X42P	2.5	42	275	250	216.3
S3TL-S3C2.5X43P	2.5	43	275	250	221.4
S3TL-S3C2.5X44P	2.5	44	287.5	262.5	226.5
S3TL-S3C2.5X45P	2.5	45	287.5	262.5	231.6
S3TL-S3C2.5X46P	2.5	46	287.5	262.5	236.7
S3TL-S3C2.5X47P	2.5	47	300	275	241.8
S3TL-S3C2.5X48P	2.5	48	300	275	246.9
S3TL-S3C2.5X49P	2.5	49	312.5	287.5	252
S3TL-S3C2.5X50P	2.5	50	312.5	287.5	257.1
S3TL-S3C2.5X51P	2.5	51	312.5	287.5	262.2
S3TL-S3C2.5X52P	2.5	52	325	300	267.3
S3TL-S3C2.5X53P	2.5	53	325	300	272.4
S3TL-S3C2.5X54P	2.5	54	337.5	312.5	277.5
S3TL-S3C2.5X55P	2.5	55	337.5	312.5	282.6
S3TL-S3C2.5X56P	2.5	56	337.5	312.5	287.7
S3TL-S3C2.5X57P	2.5	57	350	325	292.8
S3TL-S3C2.5X58P	2.5	58	350	325	297.9
S3TL-S3C2.5X59P	2.5	59	362.5	337.5	303
S3TL-S3C2.5X60P	2.5	60	362.5	337.5	308.1
S3TL-S3C2.5X61P	2.5	61	375	350	313.2
S3TL-S3C2.5X62P	2.5	62	375	350	318.3
S3TL-S3C2.5X63P	2.5	63	375	350	323.4
S3TL-S3C2.5X64P	2.5	64	387.5	362.5	328.5
S3TL-S3C2.5X65P	2.5	65	387.5	362.5	333.6
S3TL-S3C2.5X66P	2.5	66	400	375	338.7
S3TL-S3C2.5X67P	2.5	67	400	375	343.8
S3TL-S3C2.5X68P	2.5	68	400	375	348.9
S3TL-S3C2.5X69P	2.5	69	412.5	387.5	354
S3TL-S3C2.5X70P	2.5	70	412.5	387.5	359.1
S3TL-S3C2.5X71P	2.5	71	425	400	364.2

ご注文形番	最大接続電線 サイズ	極数	レール全長 (L1)	取付ピッチ (L2)	端子台長 (L3)
S3TL-S3C2.5X72P	2.5	72	425	400	369.3
S3TL-S3C2.5X73P	2.5	73	425	400	374.4
S3TL-S3C2.5X74P	2.5	74	437.5	412.5	379.5
S3TL-S3C2.5X75P	2.5	75	437.5	412.5	384.6
S3TL-S3C2.5X76P	2.5	76	450	425	389.7
S3TL-S3C2.5X77P	2.5	77	450	425	394.8
S3TL-S3C2.5X78P	2.5	78	450	425	399.9
S3TL-S3C2.5X79P	2.5	79	462.5	437.5	405
S3TL-S3C2.5X80P	2.5	80	462.5	437.5	410.1
S3TL-S3C2.5X81P	2.5	81	475	450	415.2
S3TL-S3C2.5X82P	2.5	82	475	450	420.3
S3TL-S3C2.5X83P	2.5	83	475	450	425.4
S3TL-S3C2.5X84P	2.5	84	487.5	462.5	430.5
S3TL-S3C2.5X85P	2.5	85	487.5	462.5	435.6
S3TL-S3C2.5X86P	2.5	86	500	475	440.7
S3TL-S3C2.5X87P	2.5	87	500	475	445.8
S3TL-S3C2.5X88P	2.5	88	512.5	487.5	450.9
S3TL-S3C2.5X89P	2.5	89	512.5	487.5	456
S3TL-S3C2.5X90P	2.5	90	512.5	487.5	461.1
S3TL-S3C2.5X91P	2.5	91	525	500	466.2
S3TL-S3C2.5X92P	2.5	92	525	500	471.3
S3TL-S3C2.5X93P	2.5	93	537.5	512.5	476.4
S3TL-S3C2.5X94P	2.5	94	537.5	512.5	481.5
S3TL-S3C2.5X95P	2.5	95	537.5	512.5	486.6
S3TL-S3C2.5X96P	2.5	96	550	525	491.7
S3TL-S3C2.5X97P	2.5	97	550	525	496.8
S3TL-S3C2.5X98P	2.5	98	562.5	537.5	501.9
S3TL-S3C2.5X99P	2.5	99	562.5	537.5	507
S3TL-S3C2.5X100P	2.5	100	562.5	537.5	512.1
S3TL-S4C2.5X3P	2.5	3	75	50	17.4
S3TL-S4C2.5X4P	2.5	4	75	50	22.5
S3TL-S4C2.5X5P	2.5	5	87.5	62.5	27.6
S3TL-S4C2.5X6P	2.5	6	87.5	62.5	32.7
S3TL-S4C2.5X7P	2.5	7	87.5	62.5	37.8
S3TL-S4C2.5X8P	2.5	8	100	75	42.9
S3TL-S4C2.5X9P	2.5	9	100	75	48
S3TL-S4C2.5X10P	2.5	10	112.5	87.5	53.1
S3TL-S4C2.5X11P	2.5	11	112.5	87.5	58.2
S3TL-S4C2.5X12P	2.5	12	125	100	63.3
S3TL-S4C2.5X13P	2.5	13	125	100	68.4
S3TL-S4C2.5X14P	2.5	14	125	100	73.5
S3TL-S4C2.5X15P	2.5	15	137.5	112.5	78.6
S3TL-S4C2.5X16P	2.5	16	137.5	112.5	83.7
S3TL-S4C2.5X17P	2.5	17	150	125	88.8
S3TL-S4C2.5X18P	2.5	18	150	125	93.9
S3TL-S4C2.5X19P	2.5	19	150	125	99

ご注文形番	最大接続電線 サイズ	極数	レール全長 (L1)	取付ピッチ (L2)	端子台長 (L3)
S3TL-S4C2.5X20P	2.5	20	162.5	137.5	104.1
S3TL-S4C2.5X21P	2.5	21	162.5	137.5	109.2
S3TL-S4C2.5X22P	2.5	22	175	150	114.3
S3TL-S4C2.5X23P	2.5	23	175	150	119.4
S3TL-S4C2.5X24P	2.5	24	175	150	124.5
S3TL-S4C2.5X25P	2.5	25	187.5	162.5	129.6
S3TL-S4C2.5X26P	2.5	26	187.5	162.5	134.7
S3TL-S4C2.5X27P	2.5	27	200	175	139.8
S3TL-S4C2.5X28P	2.5	28	200	175	144.9
S3TL-S4C2.5X29P	2.5	29	200	175	150
S3TL-S4C2.5X30P	2.5	30	212.5	187.5	155.1
S3TL-S4C2.5X31P	2.5	31	212.5	187.5	160.2
S3TL-S4C2.5X32P	2.5	32	225	200	165.3
S3TL-S4C2.5X33P	2.5	33	225	200	170.4
S3TL-S4C2.5X34P	2.5	34	225	200	175.5
S3TL-S4C2.5X35P	2.5	35	237.5	212.5	180.6
S3TL-S4C2.5X36P	2.5	36	237.5	212.5	185.7
S3TL-S4C2.5X37P	2.5	37	250	225	190.8
S3TL-S4C2.5X38P	2.5	38	250	225	195.9
S3TL-S4C2.5X39P	2.5	39	262.5	237.5	201
S3TL-S4C2.5X40P	2.5	40	262.5	237.5	206.1
S3TL-S4C2.5X41P	2.5	41	262.5	237.5	211.2
S3TL-S4C2.5X42P	2.5	42	275	250	216.3
S3TL-S4C2.5X43P	2.5	43	275	250	221.4
S3TL-S4C2.5X44P	2.5	44	287.5	262.5	226.5
S3TL-S4C2.5X45P	2.5	45	287.5	262.5	231.6
S3TL-S4C2.5X46P	2.5	46	287.5	262.5	236.7
S3TL-S4C2.5X47P	2.5	47	300	275	241.8
S3TL-S4C2.5X48P	2.5	48	300	275	246.9
S3TL-S4C2.5X49P	2.5	49	312.5	287.5	252
S3TL-S4C2.5X50P	2.5	50	312.5	287.5	257.1
S3TL-S4C2.5X51P	2.5	51	312.5	287.5	262.2
S3TL-S4C2.5X52P	2.5	52	325	300	267.3
S3TL-S4C2.5X53P	2.5	53	325	300	272.4
S3TL-S4C2.5X54P	2.5	54	337.5	312.5	277.5
S3TL-S4C2.5X55P	2.5	55	337.5	312.5	282.6
S3TL-S4C2.5X56P	2.5	56	337.5	312.5	287.7
S3TL-S4C2.5X57P	2.5	57	350	325	292.8
S3TL-S4C2.5X58P	2.5	58	350	325	297.9
S3TL-S4C2.5X59P	2.5	59	362.5	337.5	303
S3TL-S4C2.5X60P	2.5	60	362.5	337.5	308.1
S3TL-S4C2.5X61P	2.5	61	375	350	313.2
S3TL-S4C2.5X62P	2.5	62	375	350	318.3
S3TL-S4C2.5X63P	2.5	63	375	350	323.4
S3TL-S4C2.5X64P	2.5	64	387.5	362.5	328.5
S3TL-S4C2.5X65P	2.5	65	387.5	362.5	333.6

ご注文形番	最大接続電線 サイズ	極数	レール全長 (L1)	取付ピッチ (L2)	端子台長 (L3)
S3TL-S4C2.5X66P	2.5	66	400	375	338.7
S3TL-S4C2.5X67P	2.5	67	400	375	343.8
S3TL-S4C2.5X68P	2.5	68	400	375	348.9
S3TL-S4C2.5X69P	2.5	69	412.5	387.5	354
S3TL-S4C2.5X70P	2.5	70	412.5	387.5	359.1
S3TL-S4C2.5X71P	2.5	71	425	400	364.2
S3TL-S4C2.5X72P	2.5	72	425	400	369.3
S3TL-S4C2.5X73P	2.5	73	425	400	374.4
S3TL-S4C2.5X74P	2.5	74	437.5	412.5	379.5
S3TL-S4C2.5X75P	2.5	75	437.5	412.5	384.6
S3TL-S4C2.5X76P	2.5	76	450	425	389.7
S3TL-S4C2.5X77P	2.5	77	450	425	394.8
S3TL-S4C2.5X78P	2.5	78	450	425	399.9
S3TL-S4C2.5X79P	2.5	79	462.5	437.5	405
S3TL-S4C2.5X80P	2.5	80	462.5	437.5	410.1
S3TL-S4C2.5X81P	2.5	81	475	450	415.2
S3TL-S4C2.5X82P	2.5	82	475	450	420.3
S3TL-S4C2.5X83P	2.5	83	475	450	425.4
S3TL-S4C2.5X84P	2.5	84	487.5	462.5	430.5
S3TL-S4C2.5X85P	2.5	85	487.5	462.5	435.6
S3TL-S4C2.5X86P	2.5	86	500	475	440.7
S3TL-S4C2.5X87P	2.5	87	500	475	445.8
S3TL-S4C2.5X88P	2.5	88	512.5	487.5	450.9
S3TL-S4C2.5X89P	2.5	89	512.5	487.5	456
S3TL-S4C2.5X90P	2.5	90	512.5	487.5	461.1
S3TL-S4C2.5X91P	2.5	91	525	500	466.2
S3TL-S4C2.5X92P	2.5	92	525	500	471.3
S3TL-S4C2.5X93P	2.5	93	537.5	512.5	476.4
S3TL-S4C2.5X94P	2.5	94	537.5	512.5	481.5
S3TL-S4C2.5X95P	2.5	95	537.5	512.5	486.6
S3TL-S4C2.5X96P	2.5	96	550	525	491.7
S3TL-S4C2.5X97P	2.5	97	550	525	496.8
S3TL-S4C2.5X98P	2.5	98	562.5	537.5	501.9
S3TL-S4C2.5X99P	2.5	99	562.5	537.5	507
S3TL-S4C2.5X100P	2.5	100	562.5	537.5	512.1

# IDEC株式会社

〒532-0004 大阪市淀川区西宮原2-6-64

 [jp.idec.com](http://jp.idec.com)



お問合せはこちらから

- 本資料に記載されている社名及び商品名はそれぞれ各社が商標または登録商標として使用している場合があります。
- 仕様、その他記載内容は予告なしに変更する場合があります。

V1156-0 本資料記載の情報は、2023年7月現在のものです。

